BEST PRACTICES FOR COCONUT FARMING



SAHMEN FARMS

CONSIDERATIONS BEFORE STARTING

- PURPOSE (FRESH FRUITS/DRIED COPRA/OIL ETC.)
- SITE LOCATION(CLOSER TO A BIG CITY?
- ROAD EASILY COMMUTABLE ?)
- TYPE OF SOIL AS WELL AS TOPOGRAPHY OF THE LAND
- YOUR MARKET SEGMENT/TARGET

TYPES OF COCONUT

TALL	DWARF(SHORT)
1. LONG LIVED(90 YRS UP)	1. SHORT LIVED 40 YRS UP
2. THRIVES EVERYWHERE	2. CONDUSIVE SITES
3. GROWS VERY TALL(15 TO	3. RELATIVELY SHORTER(5 TO
18m)	7m)
4. FRUITS IN 7YRS. UP	4. FRUITS IN 2 YRS UP
5. MEDIUM TO BIG SIZED	5. SMALL, MEDIUM TO BIG
FRUITS	SIZED FRUITS
6. RELATIVELY LOWER YIEDS	6. HIGHER YIELDS PER ANUM
7. VARYING COLORS FROM	7. VARYING COLORS FROM
GREEN,YELLOW,BROWN	GREEN, YELLOW, BROWN
AND ORANGE	AND ORANGE
SAHMEN FARMS	

VARIETIES OF DWARF COCONUT

• SRI-LANKA (GREEN, YELLOW, ORANGE, B.)

MALAYAN (GREEN, YELLOW, ORANGE, B.)

EQUITORIAL (GREEN, YELLOW, ORANGE)

OTHERS WORLD WIDE



SAHMEN FARMS

SOIL

- SANDY LOAMY
- LOAMY
- CLAY SANDY
- LATERITE SOIL BEST OPTION

PLANTING SEASON

NORMAL /DRY LANDS
 MID APRIL, MAY, JUNE –MAJOR SEASON
 SEPTEMBER, OCTOBER – MINOR

WETLANDS/SWAMPY AREAS
 AFTER SEPTEMBER UP


LAND PREPARATION

- CLEAR THE WEEDS ON THE LAND
- BURN THEM
- PEGGING(20FT MINIMUM DEPENDING ON THE TYPE OF VARIETY AS WELL AS THE NATURE OF THE SOIL)
- DIG HOLES (PER THE TYPE OF PLANTING METHOD)
- PLANT SEEDLINGS(EITHER THE NORMAL /COMPREHENSIVE WAY)


PLANTING METHODS

- 2 TYPES
- A. CONVENTIONAL METHOD
- B. COMPREHENSIVE METHOD

53 12 1 Planting a seedling



Planting a seedling in atoll soils



COMRPEHENSIVE METHOD

- Dig 2*2ft deep hole
- Arrange one layer of dried coconut husk in the hole with the concave side facing up
- Fill the hole with loose sand up to about 0.5ft
- Followed by filling the hole with 0.5ft of organic manure
- And then fill the final layer with dugged out soil of about 0.5ft
- Dip the coconut seed/pod in chlorpyforos/dusban dissolved in water (5ml/litre) for about 3mins.
- Dig the center of the hole per the size of the seed/pod and then plant the seedling
- Please make sure the collar region/stalk is just at the level of the soil

- Please compact the soil around the stalk of the seedling after making sure it is erect/upright.
- Irrigate slowly from top of the plant with 30cm bucket for the plant to settle
- Please continue irrigation after every 3 days if there is no rainfall.
- Apply NPK and Ammonia after 3months of planting (50g each)
- Spray leaves and stalk with prophylactic chorpyforos after
 4months of planting and then twice in every year
- For good results, fertilizer application should be repeated twice in every year in increasing dosages of 50g with a total maximum dosage of 400g
- NB: fertilization and chemigation are recommended to be done in the afternoons during the raining season period



SAHMEN FARMS

DO'S

- AVOID WEED
- FERTILISE/MANURE/MULCH REGULARLY(TWICE PER ANUM)- CHECKS DROUGT AND DISEASES
- CHECK PEST AND THEIR SIGNS
- IRRIGATE IF POSSIBLE
- CHECKING SPACING(20FT MINIMUM)
- INTERCROP 2m AWAY FROM THE PLANT



DONT'S

- AVOID OVERCROWDING
- NEVER CUT FONDS/BRANCHES
- DON'T BURRY STALK OF THE PLANT DURING PLANTING
- DON'T LEAVE OLD BUNCHES IN TREE
- AVOID TREES THAT OVERSHADOW/COMPETE WITH THE COCONUT (BAMBOO...)
- AVOID STUMPS IN YOUR FARM(BREEDING SITES FOR RHINOCERUS BEETLE)
- DON'T KEEP PROBLEMS TO YOURSELF

PEST(Rhinocerus beetle)



4YEARS OLD COCONUT



SAHMEN FARMS

45MONTHS OLD COCONUT



OUR ADDRESS

P.O Box AN 10263 Accra – North

Ghana

Telephone:+233(24)4566196

+233(54)1784141

Email: sahmenfarms@gmail.com

FARM LOCATION: ADEISO -OBINIMDA

BANK DETAILS

Bank Name: ADB

Account Name: SAHMEN GLORY

ENTERPRISE

Account No: 1061010137077101

Branch: Ridge - Accra

Bank Name: Energy Bank

Account Name: SAHMEN GLORY

ENTERPRISE

Account No: 0081000153081

Branch: 37-Accra

PRODUCTS/ SERVICES

- Commercial Coconut
 Farming
- Certified Dwarf/Hybrid Coconut Seedlings/Pods
- Livestock
- Poultry
- Import and Export Services
- Agricultural Consultancy
- Supply Of General Goods And Services

THANK YOU VERY MUCH

SAMUEL HODOR MENSAH – OD